

1 Document

An XML file containing all project information to load and execute the project on the client. Certain interfaces are optional, however others are mandatory. This guide should reflect the changes in the XML project and keep track of the versions. Hopwfully this can remain simple!

2 Root

The XML root must be `<BrowserEvalProjectDocument>`. This should be sufficiently identifiable in both itself and in the JavaScript decoding as it will create an object called the root name.

There must also be a `<version>` tag which has the attribute `id` containing a numerical representation of the version. Currently everything in this document can be assumed to be version 1. If future updates or corrections are made post delivery this should give the flexibility to ensure past projects still work.

The root will also contain the following tags: setup and tracks.

3 Setup tag

The setup tag specifies certain global test settings including: the interface type to use, the project return location and any other setup instructions.

An example of this tag could be:

```
<setup interface="APE" projectReturn="http://project.return.url/goes/here" />
```

The setup should not have any element or any children.

3.1 Attributes

- **interface** - Mandatory, String. Defaults to APE, otherwise use to load any of the available interfaces. Currently only valid string is APE.
- **projectReturn** - Mandatory, String. Specify the URL to return the test results. If null client will generate XML locally and prompt user to return the file.
- **collectMetrics** - Optional, Boolean. Default to false. Determine if the test metrics should be collected. These include how long each test session took etc. The full metrics list can be modified in the 'metrics' tag.

3.2 Elements

None

4 AudioHolder tag

There should be one audioHolder tag per test session, inside which each audioElement is specified as children. The audioHolder tag can help to generalise certain objects. Each audioHolder instance specifies a separate listening test to be paged, each with their own specific requirements.

4.1 Attributes

- **hostURL** - Optional, String. If all tracks are hosted from the same folder on a server, you can put in the lead here. For instance, if loading `http://test.com/tracks/track1.wav` and `http://test.com/tracks/track2.wav`, this could equal `http://test.com/tracks/` and the url attribute in the track tag can be `track1.wav` or `track2.wav`. Equally `http://test.com/` and then using `tracks/track1.wav` and `tracks/track2.wav` is valid.
- **sampleRate** - Optional, Number. If your test requires a specific sample rate, this should be set to the desired sample rate in Hertz. This does not set the browser to the correct sample rate, but forces the browser to check the sample rate matches. If this is undefined, no sample rate matching will occur.
- **randomiseOrder** - Optional, Boolean String. Defaults to false. Determine if the track order should be randomised. Must be true or false.
- **repeatCount** - Optional, Number. Defaults to 0 (ie: no repeats). The number of times a test should be repeated.

4.2 Elements

Contain the audioElements tags and the interfaceSetup tag.

5 audioElements tag

This must reside as children in the audioHolder tag. There must be one audioElement tag per sound sample to load into the test.

5.1 Attributes

- **url** - Mandatory, String. Contain the full URL to the track. If the Tracks tag hostURL is set, concatenate this tag with the hostURL attribute to obtain the full URL.
- **ID** - Optional, Number. Give the track a specific ID for the return. This will help if using multiple projects to spread a test across multiple sessions and/or locations, where each test will not use all the samples. If one audioElement is given the ID 3, the next audioElement (assuming it does not have an ID set itself) will have the ID of 4. This continues until the next audioElement with the ID attribute set is reached.

6 interfaceSetup

This is contained within the audioHolder tag and outlines test instance specific requirements. These include the following children tags: **title** - question title at the top of the page, **scaleMin** - minimum scale value text, **scaleMax** - maximum scale value text, **scaleMid** - halfway scale value text. There is also a **preTest** tag here allowing for specific questions/statements to be presented before running this specific test.

7 CommentQuestion tag

This is a 1st level tag (same level as AudioHolder and setup). This allows another question and comment box to be presented on the page. The results of these are passed back in the results XML with both the comment and the question.

7.1 Attributes

None.

7.2 Elements

The question to be presented.

8 PreTest tag and PostTest tag

These are 1st level tags. The PreTest tag allows for the specifying of pre test instructions and questions. These appear as a pop-up style window with next buttons and other automatic GUI. The postTest tag allows for specifying post test instructions, questions and resources. These appear as a pop-up style window after the submit button is pressed.

8.1 Attributes

None.

8.2 Elements

Takes the **statement** and **question** tags. The order these are presented in the XML define the order they appear on the screen.

8.2.1 Statement

The statement tag simply prints the included string verbatim on a 'pop-up' window with a next button.

8.2.2 Question

This allows for a question to be asked pre/post the test. This is added to the response XML in the same location as the other common/global questions. The response includes both the question asked and the response. This takes two attributes, id and mandatory. ID is a mandatory field. The same ID will be used in the results so it is important it is properly entered. Mandatory is optional. True means the field must be entered before continuing.

8.2.3 Resource

The resource tag is only available in the postTest tag. This allows for the linking to some external resource via the href attribute.

9 Metric tag

A 1st level tag, metrics must be declared in the setup tag. This takes a set of children 'metricEnable' to define which metrics to collect and present.

9.1 metricEnable tag

This takes a single attribute to determine which metric to enable for collection. Some of these are a global, per track or per test instance.

- testTimer - Return the global test timer and test instance timers. Measures the time between the first start and final submit.
- elementTimer - Return the total time each audioElement in each test was listened too. Measures time between successive clicks on the track changer
- elementTracker - Return the initial position of each track
- elementTrackerFull - Return an enumerated pair of time and position. Track the entire movement of each element position. NOTE: Will override the elementTracker option above and throw an error into the browser console.
- elementFlagListenedTo - Return a boolean per element to see if the element was listened to
- elementFlagMoved - Return a boolean per element to see if the element slider was moved.
- elementFlagComments - Return a boolean per element to see if the element has comments.

10 Example

Here is an example XML structure

```
<?xml version="1.0" encoding="utf-8"?>
<BrowserEvalProjectDocument>
  <setup interface="APE" projectReturn="null" />
  <AudioHolder hostURL="example_eval/" sampleRate="44100"
    sampleRateExplicit="true">
    <audioElements url="0.wav" ID="0"/>
    <audioElements url="1.wav"/>
    <audioElements url="2.wav"/>
    <audioElements url="3.wav"/>
    <audioElements url="4.wav"/>
    <audioElements url="5.wav"/>
    <audioElements url="6.wav"/>
    <audioElements url="7.wav"/>
    <audioElements url="8.wav"/>
    <audioElements url="9.wav"/>
    <audioElements url="10.wav"/>
  </AudioHolder>
  <CommentQuestion>What is your mixing experiance</CommentQuestion>
</PreTest>
```

```
        <statement>Please listen to all mixes</statement>
</PreTest>
<PostTest>
        <statement>Thank you for taking this listening test.</statement>
        <question>Please enter your name.</question>
</PostTest>
</BrowserEvalProjectDocument>
```