

Web Audio Evaluation Tool - Bug #1607

comparator should be comparator

2016-02-21 03:47 AM - Giulio Moro

Status:	Resolved	Start date:	2016-02-21
Priority:	Low	Due date:	
Assignee:		% Done:	0%
Category:		Estimated time:	0.00 hour
Target version:			

Description

I think there is a typo "comparator" for "comparator"

```
$ grep -Rin comparator *
interfaces/AB.css:40:div.comparator-holder {
interfaces/AB.css:49:div.comparator-selector {
interfaces/AB.css:66:div.comparator-selector span {
interfaces/AB.css:70:button.comparator-button {
interfaces/AB.js:10: // Custom Comparator Object
interfaces/AB.js:11: Interface.prototype.comparator = null;
interfaces/AB.js:151: // Populate the comparator object
interfaces/AB.js:152: interfaceContext.comparator = new Comparator(audioHolderObject);
interfaces/AB.js:168:function Comparator(audioHolderObject)
interfaces/AB.js:170: this.comparatorBox = function(audioElement,id,text)
interfaces/AB.js:177: this.box.className = 'comparator-holder';
interfaces/AB.js:179: this.box.id = 'comparator-'+text;
interfaces/AB.js:181: this.selector.className = 'comparator-selector disabled';
interfaces/AB.js:186: this.playback.className = 'comparator-button';
interfaces/AB.js:205: $(".comparator-selector").removeClass('selected');
interfaces/AB.js:207: interfaceContext.comparator.selected = id;
interfaces/AB.js:209: for (var i=0; i<interfaceContext.comparator.comparitors.length; i++)
interfaces/AB.js:211:     var obj = interfaceContext.comparator.comparitors[i];
interfaces/AB.js:255: $('comparator-button').text('Listen');
interfaces/AB.js:285: this.comparitors = [];
interfaces/AB.js:297: var node = new this.comparatorBox(audioObject,index,String.fromCharCode(65 + index));
interfaces/AB.js:299: this.comparitors.push(node);
interfaces/AB.js:308: var numObj = interfaceContext.comparator.comparitors.length;
```

History

#1 - 2016-02-22 02:39 PM - Nicholas Jillings

- Status changed from New to Resolved

The dangers of assisted IDEs.... thanks!

#2 - 2016-02-22 02:42 PM - Giulio Moro

Well on the up side, an IDE should allow refactoring without using search and replace or sed

